

RFID Inlay Zephyr Impinj Monza M850

Dimensions (WxH)

50 mm X30 mm (1.95 " X 1.17 ")

DESCRIPTION

ARC certified against many diverse specifications for uses across apparel and general merchandise retail. With strong read rates and easily integrated design, Zephyr offers merchandise visibility across the supply chain. Compatible with various hardware setups, including handhelds and overhead readers, Zephyr delivers a versatile RFID solution for heightened efficiency and precision.



RFID SPECIFICATIONS

Protocol ISO/IEC 18000-63:2015 and EPCglobal Gen2v2 compliant

Operating Frequency 860 Mhz - 960 Mhz

Chip Type Monza M850

Unique TID / UID 96 bits

EPC Memory 96 bits

User Memory 32 bits

UHF

INDUSTRIES

Tag type

Retail Apparel Retail Cosmetics

APPLICATIONS



Inventory visibility



Omnichannel



Store processs (Cycle Count / item locator / POS)

ARC CATEGORIES


 Spec R
 Spec I and F
 Spec O

 Spec Q
 SPEC Y2
 Spec L

 Spec W5
 Spec I
 Spec W6

 Spec F
 Spec J


OTHER CERTIFICATIONS



PERFORMANCE	
ETSI Read Range	19.70 m
FCC Read Range	12.80 m

READ RANGE

Free Space, Light, & Heavy Loading Conditions



ORIENTATION SENSITIVITY

ETSI FCC

